




Fiber Optic Multiport Service Terminals (MST)

Our Multiport Service Terminals (MST) are developed for OSP fiber optic distribution solutions. All input and output fiber optic cables are pre-connectrized hardened connectors that allow for fast and easy installation of the subscriber drop.

Ordering Matrix







Fiber Optic Multiport Service Terminals (MST)

Our Multiport Service Terminals (MST) are developed for OSP fiber optic distribution solutions. All input and output fiber optic cables are pre-connectrized hardened connectors that allow for fast and easy installation of the subscriber drop.



Features:

- Ingress protection: IP68 rated weatherproof design
- Pedestal, wall, pole, and aerial mount capability
- Available in 2,4, 6, 8 and 12 Port configurations
- Available with toneable and dielectric flat cables
- Meets Telcordia GR-771, Telcordia GR-326 Issue 4 requirements
- MST's are 100% tested for insertion loss, return loss, and ingress protection





Fiber Optic Multiport Service Terminals (MST)

Specifications:

Dimensions (mm) 4-Port 215x115x90

6-Port 270x115x90 8-Port 338x115x95 12-Port 365x140x115

Connectors Hardened SC/APC OptiTap® Compatible

Cable Drop Flat toneable or non-toneable

Insertion Loss(dB) Typical < 0.3 Max. < 0.5

Return Loss (dB) >60

Terminals Material Black UV Resistant Polycarbonate (PC)

Ingress Protection IP68











Reel showing T Type Feed





Drop Cable Options

